

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	826	((dormant torpid asleep quiescent idle inoperat\$5 in-operat\$5 inactiv\$5 in-activ\$5 sav\$4 standby stand-by suspend\$3 sleep\$3) adj (mode state)) idle lull sleep slept awak\$3 operat\$5 wak\$3 (wait\$3 near1 call) ((batter\$5 power) adj3 (sav\$5 conserv\$6))) and ((predetermin\$6 preset\$4 threshold\$5 value number) near22 (list\$5)) and ((quality strength) near2 list\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/08 11:53
L2	556	((dormant torpid asleep quiescent idle inoperat\$5 in-operat\$5 inactiv\$5 in-activ\$5 sav\$4 standby stand-by suspend\$3 sleep\$3) adj (mode state)) idle lull sleep slept awak\$3 operat\$5 wak\$3 (wait\$3 near1 call) ((batter\$5 power) adj3 (sav\$5 conserv\$6))) and ((predetermin\$6 preset\$4 threshold\$5 value number) near22 (list\$5)) and ((quality strength) near12 list\$3) and ((predetermin\$6 preset\$4 threshold\$5 value number) near12 tim\$3 near22 (channel link path resource))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/08 10:37
L5	175	((dormant torpid asleep quiescent idle inoperat\$5 in-operat\$5 inactiv\$5 in-activ\$5 sav\$4 standby stand-by suspend\$3 sleep\$3) adj (mode state)) idle lull sleep slept awak\$3 operat\$5 wak\$3 (wait\$3 near1 call) ((batter\$5 power) adj3 (sav\$5 conserv\$6))) and ((gps (global adj position)) near12 (one "1") near12 tim\$3 near12 (channel link path resource))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/08 10:49
L7	0	((dormant torpid asleep quiescent idle inoperat\$5 in-operat\$5 inactiv\$5 in-activ\$5 sav\$4 standby stand-by suspend\$3 sleep\$3) adj (mode state)) idle lull sleep slept awak\$3 operat\$5 wak\$3 (wait\$3 near1 call) ((batter\$5 power) adj3 (sav\$5 conserv\$6))) and ((gps (global adj position)) near12 (one "1") near12 tim\$3 near12 (channel link path resource) near12 (lost\$5 interrupt\$6 disconnect\$5 miss\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/08 11:57

EAST Search History

L8	10	((((dormant torpid asleep quiescent idle inoperat\$5 in-operat\$5 inactiv\$5 in-activ\$5 sav\$4 standby stand-by suspend\$3 sleep\$3) adj (mode state)) idle lull sleep slept awak\$3 operat\$5 wak\$3 (wait\$3 near1 call) ((batter\$5 power) adj3 (sav\$5 conserv\$6))) and ((predetermin\$6 preset\$4 threshold\$5 value number) near22 (list\$5)) and ((quality strength) near12 list\$3) and ((predetermin\$6 preset\$4 threshold\$5 value number) near12 tim\$3 near22 (channel link path resource) near22 (lost\$5 interrupt\$6 disconnect\$5 miss\$5)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/08 10:56
L9	51	(((((dormant torpid asleep quiescent idle inoperat\$5 in-operat\$5 inactiv\$5 in-activ\$5 sav\$4 standby stand-by suspend\$3 sleep\$3) adj (mode state)) idle lull sleep slept awak\$3 operat\$5 wak\$3 (wait\$3 near1 call) ((batter\$5 power) adj3 (sav\$5 conserv\$6))) and (predetermin\$6 preset\$4 threshold\$5 value number) and list\$5 and (quality strength) and tim\$3 and (channel link path resource) and (lost\$5 interrupt\$6 disconnect\$5 miss\$5)).clm.	US-PGPUB	OR	ON	2007/08/08 10:59
L11	11	(((((dormant torpid asleep quiescent idle inoperat\$5 in-operat\$5 inactiv\$5 in-activ\$5 sav\$4 standby stand-by suspend\$3 sleep\$3) adj (mode state)) idle lull sleep slept awak\$3 operat\$5 wak\$3 (wait\$3 near1 call) ((batter\$5 power) adj3 (sav\$5 conserv\$6))) and ((gps (global adj position)) and (one "1") and tim\$3 and count\$5 and (channel link path resource) and (lost\$5 interrupt\$6 disconnect\$5 miss\$5))).clm.	US-PGPUB	OR	ON	2007/08/08 11:20
L14	0	455/575.ccls.	USPAT	OR	ON	2007/08/08 11:34

EAST Search History

L17	3	(455/574.ccls. 455/343.ccls. 340/539.3.ccls.) and (((dormant torpid asleep quiescent idle inoperat\$5 in-operat\$5 inactiv\$5 in-activ\$5 sav\$4 standby stand-by suspend\$3 sleep\$3) adj (mode state)) idle lull sleep slept awak\$3 operat\$5 wak\$3 (wait\$3 near1 call) ((batter\$5 power) adj3 (sav\$5 conserv\$6))) and ((predetermin\$6 preset\$4 threshold\$5 value number) near22 (list\$5)) and ((quality strength) near2 list\$3)	US-PGPUB; USPAT	OR	ON	2007/08/08 11:56
L18	0	340/539.3.ccls. and (((dormant torpid asleep quiescent idle inoperat\$5 in-operat\$5 inactiv\$5 in-activ\$5 sav\$4 standby stand-by suspend\$3 sleep\$3) adj (mode state)) idle lull sleep slept awak\$3 operat\$5 wak\$3 (wait\$3 near1 call) ((batter\$5 power) adj3 (sav\$5 conserv\$6))) and ((gps (global adj position)) near12 (one "1") near12 tim\$3 near12 (channel link path resource) near12 (lost\$5 interrupt\$6 disconnect\$5 miss\$5))	US-PGPUB; USPAT	OR	ON	2007/08/08 11:57

interference search.

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L9	51	(((((dormant torpid asleep quiescent idle inoperat\$5 in-operat\$5 inactiv\$5 in-activ\$5 sav\$4 standby stand-by suspend\$3 sleep\$3) adj (mode state)) idle lull sleep slept awak\$3 operat\$5 wak\$3 (wait\$3 near1 call) ((batter\$5 power) adj3 (sav\$5 conserv\$6))) and (predetermin\$6 preset\$4 threshold\$5 value number) and list\$5 and (quality strength) and tim\$3 and (channel link path resource) and (lost\$5 interrupt\$6 disconnect\$5 miss\$5)).clm.	US-PGPUB	OR	ON	2007/08/08 10:59

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L11	11	((((dormant torpid asleep quiescent idle inoperat\$5 in-operat\$5 inactiv\$5 in-activ\$5 sav\$4 standby stand-by suspend\$3 sleep\$3) adj (mode state)) idle lull sleep slept awak\$3 operat\$5 wak\$3 (wait\$3 near1 call) ((batter\$5 power) adj3 (sav\$5 conserv\$6))) and ((gps (global adj position)) and (one "1") and tim\$3 and count\$5 and (channel link path resource) and (lost\$5 interrupt\$6 disconnect\$5 miss\$5))).clm.	US-PGPUB	OR	ON	2007/08/08 11:20